

SMART SECURITY SOLUTIONS FOR INDIA'S EVOLVING NEEDS









Home Cams

ID

Video Door Phones





- 7" Touch screen Wi-Fi enabled monitor
- View visitors on your mobile or tablet
- Motion detection
- Supports EM lock
- Camera with IR LED for night vision



- 7" Colour Wi-Fi enabled monitor with touch buttons
- View visitors on your mobile or tablet
- Contactless calling from outdoor unit
- Camera with white LED for night vision
- Motion detection

SeeThru ST7 Touch

- 7" Touch screen monitor
- Camera with IR LED for night vision
- Motion detection
- Support EM lock
- Integration with telephone line

SeeThru ST7 Lite

- 7" Colour indoor monitor
- Support EM Lock
- Camera with IR LED for night vision
- Support memory card up to 32 GB

SeeThru RE 7 Lite

- 7" Colour indoor monitor
- Support EM lock
- Support memory card up to 32 GB
- Camera with white LED for night
- vision 2 Alarm Inputs

SeeThru 4.3 Lite

- 4.3" Colour indoor monitor with touch buttons
- Support EM lock
- Camera with IR LED for night
- vision Supports two outdoor units














Scan this QR Code for detailed specifications









- Wi-Fi enabled
- Smart phone viewing
- Supports smart motion
- Built-in mic & speaker



EVE NX - P.T.

- Wi-Fi enabled
- Smart phone viewing
- Supports smart motion
- Built-in mic & speaker
- Pan-tilt function
- Auto Tracking





THE MOST TRUSTED SECURITY EVER CCTV Cameras, DVRs & NVRs

- Scan this QR Code for detailed specifications





STE-FD20IR3.6P-1080P

- 1/2.9" 2MP Hi-resolution image sensor
- 3.6mm fixed lens
- HD Dome camera with plastic body
- Support ultra-low illumination
- IR LED range 10-20m



STE-FB20IR3.6P-1080P

- 1/2.9" 2MP Hi-resolution image sensor
- 3.6mm fixed lens
- HD Bullet camera with IP66 plastic body
- Support ultra-low illumination
- IR LED range 10-20m



STL-FD20IR3.6M-1080P

- 1/2.9" 2MP Hi-resolution image sensor
- 3.6mm fixed lens
- IR LED range 10-20m
- HD Dome camera with IP66 metal
- body True day night with IR cut filter



STL-FB20IR3.6M-1080P

- 1/2.9" 2MP Hi-resolution image sensor
- 3.6mm fixed lens
- IR LED range 10-20m
- HD Bullet camera with IP66 metal body
- True day night with IR cut filter



STL-FB20IR6M-1080P

- 1/2.9" 2MP Hi-resolution image sensor
- 6mm fixed lens
- IR LED Range 40-50m
- HD Bullet camera with IP66 metal body
- True day night with IR cut filter

STL-FB40IR8M-1080P

- 1/2.9" 2MP Hi-resolution image sensor
- 8mm fixed lens
- IR LED Range 40-50m
- HD Bullet camera with IP66 metal body
- True day night with IR cut filter



STL-FD20IR2.8M-1080P

- 1/2.9" 2MP Hi-resolution image sensor
- 2.8mm fixed lens
- IR LED Range 40-50m
- HD Dome camera with IP66 metal
- body True day night with IR cut filter



STP-FD20EX3.6-1960P

- 1/2.7" 5MP Hi-resolution image sensor
- 3.6mm fixed lens
- IR LED Range 10-20m
- HD Dome camera with Plastic Body
- True day night with IR cut filter



STP-FB20EX3.6-1960P

- 1/2.7" 5MP Hi-resolution image sensor
- 3.6mm fixed lens
- IR LED Range 10-20m
- HD Bullet camera with IP66 Plastic body
- True day night with IR cut filter



STP-FB40EX8-1960P

- 1/2.7" 5MP Hi-resolution image sensor
- 8mm fixed lens
- IR LED Range 40-50m
- HD Bullet camera with IP66 metal body
- True day night with IR cut filter



STP-FB20EX6-1960P

- 1/2.7" 5MP Hi-resolution image sensor
- 6mm fixed lens
- IR LED Range 10-20m
- HD Bullet camera with IP66 metal body
- True day night with IR cut filter



STS-VD30IR-1080P

- 1/2.9" 2MP Hi-resolution image sensor
- 2.8-12mm Varifocal lens IR LED
- Range 10-30m
- HD Dome camera with IP66 metal
- body True day night with IR cut filter



STS-VB30IR-1080P

- 1/2.9" 2MP Hi-resolution image sensor
- 2.8-12mm Varifocal lens IR LED
- Range 10-30m
- HD Bullet camera with IP66 metal body
- True day night with IR cut filter



STU-IPD25IR4M-1080P

- 1/2.9" 2MP CMOS
- sensor 3.6mm Fixed lens
- H.265+ Dual stream encoding
- IR LED Range 10-25m
- IP Dome camera with IP66 metal body
- PoE Enabled
- Supports Onvif

STU-IPB30IR4M-1080P

- 1/2.9" 2MP CMOS
- sensor 3.6mm Fixed lens
- H.265+ Dual stream encoding
- IR LED Range 10-25m
- IP Bullet camera with IP66 metal body
- PoE Enabled
- Supports Onvif

STU-IPB50IR8M-1080P

- 1/2.9" 2MP CMOS
- sensor 8mm Fixed lens
- H.265+ Dual stream encoding
- IR LED Range 40-50m
- IP Bullet camera with IP66 metal body
- PoE Enabled
- Supports Onvif



STU-IPVB50IRM-1080P

- 1/2.9" 2MP CMOS sensor
- 2.8-12mm Motorised varifocal lens
- H.265+ Dual stream encoding
- IR LED Range 40-50m
- IP Bullet camera with IP66 metal body
- PoE Enabled
- Supports Onvif

STU-IPVD50IRM-1080P



- 2.8-12mm Motorised varifocal lens
- H.265+ Dual stream encoding
- IR LED Range 40-50m
- IP Dome camera with IP66 metal body
- PoE Enabled
- Supports Onvif

STU-IPD25IR4M-1960P



- 1/2.7" 5MP CMOS
- sensor 3.6mm Fixed lens
- H.265+ Dual stream encoding
- IR LED Range 10-25m
- IP Dome camera with IP66 metal body
- PoE Enabled
- Supports Onvif

STU-IPB30IR4M-1960P



- 1/2.7" 5MP CMOS
- sensor 3.6mm Fixed lens
- H.265+ Dual stream encoding
- IR LED Range 10-25m
- IP Bullet camera with IP66 metal body
- PoE Enabled
- Supports Onvif

- STU-IPD25IR2.8P-1080P
- 1/2.9" 2MP CMOS
- sensor 2.8mm Fixed lens
- H.265+ Dual stream encoding
- IR LED Range 10-25m
- IP Dome camera with Plastic body
- PoE Enabled
- Supports Onvif

See This

STU-IPD25IR4P-1080P

- 1/2.9" 2MP CMOS
- sensor 3.6mm Fixed lens
- H.265+ Dual stream encoding
- IR LED Range 10-25m
- IP Dome camera with plastic body
- PoE Enabled
- Supports Onvif



STU-IPB30IR4P-1080P

- 1/2.9" 2MP CMOS
- sensor 3.6mm fixed lens
- H.265+ Dual stream encoding
- IR LED range 10-30m
- IP Bullet camera with IP66 plastic Body
- PoE Enabled
- Supports Onvif

STU-IPB50IR6M-1080P

- 1/2.9" 2MP CMOS
- sensor 6mm fixed lens
- H.265+ Dual stream encoding
- IR LED Range 40-50m
- IP Bullet Camera with IP66 metal Body
- PoE Enabled
- Supports Onvif

STU-IPB50IR6M-1960P

- 1/2.7" 5MP CMOS
- sensor 6mm Fixed lens
- H.265+ Dual stream encoding
- IR LED range 40-50m
- IP Bullet camera with IP66 metal body
- PoE Enabled
- Supports Onvif

STU-IPD25IR2.8M-1080PA

- 1/2.9" 2MP CMOS
- sensor 2.8mm Fixed lens
- H.265+ Dual stream encoding
- IR LED range 10-25m
- IP Dome camera with IP66 metal body
- PoE Enabled
- In-built Microphone
- Supports Onvif

- STU-IPD25IR4M-1080PASD
- 1/2.9" 2MP CMOS
- sensor 3.6mm Fixed lens
- H.265+ Dual stream encoding
- IR LED Range 10-25m
- IP Dome camera with IP66 metal body
- PoE Enabled
- In-built Microphone
- Supports SD Card
- Supports Onvif

STP-PZ120IR-1080P

- 1/2.8" 2MP CMOS sensor
- 4.3-129mm lens
- 30X Optical zoom with autofocus
- IR LED Range 150m
- IP Varifocal PTZ camera with 255 presets
- 360⁰ Pan Rotation
- Supports Onvif

NVR



Scan this QR Code for detailed specification





- 4 Channel NVR with 1 SATA QHD
- real time display H.265+
- Compression Recording at 5MP
- resolution Supported by Godrej
- VMS/Mobile app 3G/4G/Wifi Support



STE-NVR8S1-1960P

- 8 Channel NVR with 1 SATA QHD
- real time display H.265+
- Compression Recording at 5MP
- resolution Supported by Godrej
- VMS/Mobile app 3G/4G/Wifi Support



STE-NVR16S2-1960P

- 16 Channel NVR with 2 SATA QHD
- real time display H.265+
- Compression Recording at 5MP
- resolution Supported by Godrej
- VMS/Mobile app 3G/4G/Wifi Support



STE-NVR32S2-1960P

- 32 Channel NVR with 2 SATA QHD
- real time display H.265+
- Compression Recording at 5MP
- resolution Supported by Godrej
- VMS/Mobile app 3G/4G/Wifi Support



STE-NVR16S1-4K

- 16 Channel NVR with 1 SATA
- 4K real time display
- H.265+ Compression Recording at
- 8MP resolution Supported by Godrej
- VMS/Mobile app 3G/4G/Wifi Support



STE-NVR16S2-4K

- 16 Channel NVR with 2 SATA
- 4K real time display
- H.265+ Compression Recording at
- 8MP resolution Supported by Godrej
- VMS/Mobile app 3G/4G/Wifi Support



STE-NVR32S2-4K

- 32 Channel NVR with 2 SATA
- 4K real time display
- H.265+ Compression Recording at
- 8MP resolution Supported by Godrej
- VMS/Mobile app 3G/4G/Wifi Support

STP-NVR32RS8-4K

- 32 Channel NVR with 8 SATA
- 4K real time display/Recording
- H.265+ Compression
- Supports alarm input & output
- Supports backup on NAS
- Supports NVR smart analysis

STP-NVR64RS8-4K

- 64 Channel NVR with 9 SATA
- 4K real time display/Recording
- H.265+ Compression
- Supports alarm input & output
- Supports backup on NAS
- Supports NVR smart analysis
- Up to 5000 face database
- Recognition accuracy of more than 98%





- 4 Channel UVR with 1
- SATA 2MP real time
- display H.265 Compression
- 5-in-1 AHD/TVI/CVI/CVBS/IP camera supported
- 3G/4G/Wifi Support
- Two-way Audio
- Supports mobile/VMS monitoring

STE-UR8S1-1080P

- 8 Channel UVR with 1
 SATA 2MP real time
 - display H.265 Compression
 - 5-in-1 AHD/TVI/CVI/CVBS/IP camera supported
 - 3G/4G/Wifi Support
 - Two-way Audio
 - Supports mobile/VMS monitoring

STE-UR16S1-1080P



- 16 Channel UVR with 1
- SATA 2MP real time display
- H.264 Compression
- Supports mobile/VMS monitoring
- Supports audio over video channels
 - 5-in-1 AHD/TVI/CVI/CVBS/IP camera supported
- 3G/4G/Wifi Support

STE-UR16S2-1080P

- 16 Channel UVR with 2
- SATA 2MP real time display
- H.264 Compression
- Supports mobile/VMS monitoring
- Supports audio over video channels
- 5-in-1 AHD/TVI/CVI/CVBS/IP camera supported
- 3G/4G/Wifi Support

STE-UR32S2-1080P

- 32 Channel UVR with 2 SATA 2MP
- real time display H.265
- Compression Advanced video
- analytics Supports mobile/VMS
- monitoring Supports audio over
- video channels
 5-in-1 AHD/TVI/CVI/CVBS/IP camera supported



STP-UR4S1-1960P

- 4 Channel UVR with 1 SATA
- 5MP real time display/recording
- H.265 Compression
- Supports mobile/VMS monitoring
- Supports audio over video channels
- 5-in-1 AHD/TVI/CVI/CVBS/IP camera supported
- 3G/4G/Wifi Support
- Two-way Audio
- 4+2 IP Cameras

STP-UR8S1-1960P



- 5MP real time display/recording
- H.265 Compression
- Supports mobile/VMS monitoring
- Supports audio over video channels
- 5-in-1 AHD/TVI/CVI/CVBS/IP camera supported
- 3G/4G/Wifi Support
- Two-way Audio
- 8+2 IP Cameras

STP-UR16S2-1960P

- 16 Channel UVR with 2
- SATA 5MP real time display
- H.265 Compression
- 5-in-1 AHD/TVI/CVI/CVBS/IP camera supported
- 3G/4G/Wifi Support
- Supports audio over video channels.
- Two-way Audio
- Supports mobile/VMS monitoring
- 16+2 IP Cameras

For More Enquires Please Call or Mail us:SSEMUM8@GMAIL.COM09920051591www.shrisiddhivinayakenterprises.com

